

JAN. 2025

SAFETY JOGGER WORKS

HEAD-TO-TOE
PROTECTION

25
YEARS



**SAFETY
JOGGER
WORKS**

HEAD-TO-TOE PROTECTION



 <p>1950 Start of a small shoe factory in Belgium, named Cortina</p>	 <p>1960 Import of footwear from Italy, Europe</p>	 <p>1980 One of the first European companies to start importing from the Far East and China</p>	 <p>cortina 1981 Launch of the Cortina safety footwear collection</p>
 <p>1990 Registration of the Safety Jogger brand name in Benelux</p>	 <p>2000 Launch of the Safety Jogger brand in Europe</p>	 <p>2007 Selling of the first pair of Safety Jogger footwear in Asia</p>	 <p>2011 Development and manufacturing of the Safety Jogger work gloves collection</p>
 <p>2013 Acquisition of 'Oxypas', the n°1 brand for medical and professional footwear</p>	 <p>2015 Safety Jogger goes USA</p>	 <p>2017 Acquisition of the leading German safety footwear brand 'Maxguard'</p>	 <p>2018 Launch of the light-weight and tactical collection</p>
 <p>2020 Acquisition of 'Tiger Grip', market leader in slip-resistant and safety overshoes</p>	 <p>2022 Launch of workwear and head protection.</p>	 <p>2024 Acquisition of 'Gevavi', a leading importer and wholesaler</p>	<p>More to come ...</p>

More than 70 years of experience

Safety Jogger's story began in 1950, when a small and family-owned shoe company called Cortina was founded in Belgium. Over time, Cortina expanded and evolved into a global business with many brands in its portfolio.

Safety Jogger was launched in 2000 as one of Cortina's key brands. By leveraging Cortina's extensive experience, Safety Jogger quickly became a major player in the global market for certified personal protective equipment (PPE).

Today, Safety Jogger is trusted by many businesses worldwide, operating in +143 markets and selling more than 12 million PPE products each year.

Dealer support

Discover all our digital tools here: order.safetyjogger.com



Video
Download our campaign and product videos

Photo
Access lifestyle pictures of our entire collection



GIF
Explore our ready-to-use social media content



Safety Jogger Academy
Watch our training videos and learn more about our products



Brand guide
Learn more about how to use the Safety Jogger branding

more..

WORLDWIDE CERTIFICATES

No safety shoe without the right certifications

We are present worldwide and deliver certified products that meet global safety standards.

No matter what country you live in.
No matter which safety product you are interested in.
We provide the right certifications for your region!

Safety Jogger's safety footwear is certified in accordance with the global standard for safety footwear.




Need a specific certificate for your area that we don't have yet? Let us know and we'll make it happen!

Our certification label explained



- CE and UKCA marking, indicating compliance with the highest safety, health and environmental protection requirements
- Size
- Manufacturing date
- Standard and obtained protection category
- Additional standards and their protection categories
- Manufacturer and address
- Country of production
- Material composition of the upper, lining and outsole



QUALITY IS KEY

By developing in our own facilities and inspecting all materials in our specialized test laboratory, we can monitor every aspect of our products. From design and construction to the final distribution. This way, all products are manufactured according to Safety Jogger's quality standards.

As a result, we are certified by the most known institutes in the industry and can guarantee our products meet the highest norms when it comes to protection.

Innovation in every step:

- ✓ Specialized **test lab**
- ✓ Advanced **R&D facilities** in Europe and Asia
- ✓ Experienced **footwear professionals**
- ✓ Use of the latest **footwear technology**
- ✓ **Certified** worldwide
- ✓ Modern **on-site sample room**
- ✓ State-of-the-art **machinery**
- ✓ Continuous **investments** in innovation and development





LIGHT APPLICATION

Light application footwear is engineered for dry environments. Wearers of this type of footwear typically work indoors, on relatively even floors. Examples of light application industries are logistics, assembly or even catering.



MEDIUM APPLICATION

Medium application footwear is engineered for both wet and dry environments with more robust requirements. People wearing this type of footwear usually have to carry out tougher jobs or kneeling activities. These shoes and boots can be used both indoors and outdoors and are therefore more all-round, but less fit for extreme circumstances. Examples of medium application industries are light construction, oils and gas industry or utility.



HEAVY APPLICATION

Heavy application footwear is engineered for dirty, muddy and rocky environments. People wearing this type of footwear mostly work outdoors and have to walk on uneven surfaces that demand high stability and protection of their feet. Examples of heavy application industries are road construction, building construction, or even mining.

THE NEW STANDARD FOR SAFETY FOOTWEAR EXPLAINED - EN ISO 20345:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20345. Until June 2022, the 2011 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20345:2011 remain valid until their expiration date (which is 5 years from the date of issue).

	CLASS 1 made from leather, textiles or synthetic materials										CLASS 2 made from rubber or polymeric materials				Additional features
	SB	S1	S1P	S1PL	S2	S3	S3L	S6	S7	S7L	SB	S4	S5	S5L	
Toe protection (≥200 Joule)															AN Ankle protection
Basic slip resistance (ceramic floor + soap solution)															M Metatarsal protection
Closed heel															NEW SR Slip resistance (ceramic floor + oily solution)
A Antistatic															A Antistatic
E Heel energy absorption															NEW LG Ladder grip
UPDATE WPA Water penetration and absorption															NEW SC Abrasion resistant scuff cap
WR Waterproof															CI Cold insulation
UPDATE P Metallic puncture resistant midsole (4.5mm nail)															HI Heat insulation
NEW PL Non-metallic puncture resistant midsole PL = Large nail 4.5mm PS = Slim nail 3mm															HRO Heat-resistant outsole (up to 300°C)
Cleated outsole (cleat height ≥ 2,5mm)															UPDATE P Metallic puncture resistant midsole (4.5mm nail)
															NEW PL Non-metallic puncture resistant midsole (4.5mm nail)
															NEW PS Non-metallic puncture resistant midsole (3mm nail)
															UPDATE WPA Water penetration and absorption
															WR Waterproof
															E Heel energy absorption
															UPDATE FO Oil & fuel resistance
															Electrostatic discharge (EN 61340)
															Electrical hazard (ASTM F2413)

MORE MADE FROM LESS

Discover our entire eco collection on safetyjogger.com



 **10-12 PET bottles**

LIGHT APPLICATION

ECO



MORRIS S1P

Upper Knitted Recycled Textile, Recycled Mesh
 Outsole Phylon/Rubber (NBR)
 Toecap Nano carbon
 Midsole Nonwoven
 Lining Recycled Mesh
 Footbed SJ Foam
 Category S1 P ESD, SRC
 Size Range EU 35-47 • UK 3.0-12.0 • US 3.0-13.0
 KOR 230-310 • JPN 21.5-31.0



ECONILA S1 LOW

Upper Knitted Recycled Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole N/A
 Lining Recycled Mesh
 Footbed SJ Memory foam
 Category S1 ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



ECOLOBI S1P LOW Tls

Upper Recycled Mesh, Microfiber
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Recycled Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

ECODEMPO S3S LOW

Upper Water resistant textile, TPU
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Recycled Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



ECOFITZ S1P LOW

Upper Knitted Recycled Textile
 Outsole PU
 Toecap Steel
 Midsole Steel
 Lining Recycled Mesh
 Footbed SJ Foam
 Category S1 P ESD, CI, FO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



ECODESERT S1P MID

Upper Recycled canvas
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Recycled canvas
 Footbed SJ Foam
 Category S1 P FO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



ECOFITZ S1

Upper Knitted Recycled Textile
 Outsole PU
 Toecap Steel
 Midsole N/A
 Lining Recycled Mesh
 Footbed SJ Foam
 Category S1 FO, SR
 Size Range EU 37-47 • UK 4-12 • US 4.5-13
 KOR 240-310 • JPN 23.0-31.0



LIGHT APPLICATION

LIGHTWEIGHT



NEW

FUJI S3S LOW



BLK

Upper Textile, Microfiber
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



TAU

NEW



BLK

FUJI S3S MID

Upper Textile, Microfiber
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

SANDY S3S LOW TLS



SND

Upper Suede Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 37-45 • UK 4-10.5 • US 4.5-11.5
 KOR 235-295 • JPN 23.0-29.0



SND

NEW

SANDY S3S MID TLS

Upper Suede Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 37-45 • UK 4-10.5 • US 4.5-11.5
 KOR 235-295 • JPN 23.0-29.0



NEW

ELGON S3S LOW



BLK

Upper Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK

NEW

ASAMA S3S MID TLS

Upper Textile, Synthetic
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S3S ESD, HI, CI, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

LIGHTSTAR S1PS



BLK

Upper Textile, Synthetic
 Outsole EVA/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S1 PS ESD, HI, CI, HRO, SR, SC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK

ABSOLUTE S1P

Upper Mesh
 Outsole Phylon/Rubber (NBR)
 Toecap Nano carbon
 Midsole Nonwoven
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S1 P ESD, SRC, CI
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



LIGHT APPLICATION

LIGHTWEIGHT



BLK

LIGERO2 S1P MID TLS

Upper Textile
 Outsole PU
 Toecap Nano carbon
 Midsole Nonwoven
 Lining Mesh
 Footbed SJ Foam
 Category S1 P ESD, SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



NAV

BLK

LIGERO2 S1P LOW

Upper Textile
 Outsole PU
 Toecap Nano carbon
 Midsole Nonwoven
 Lining Mesh
 Footbed SJ Foam
 Category S1 P ESD, SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



NAV

ORA

BLK

LIGERO S1P

Upper Mesh
 Outsole Phylon/Rubber (NBR)
 Toecap Nano carbon
 Midsole Nonwoven
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S1 P ESD, SRC, CI
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



BLK

LOBI S1P LOW TLS

Upper Synthetic
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



LIGHT APPLICATION

LIGHTWEIGHT



RED



BLK

MILOS S1P MID

Upper Synthetic, Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK

MILOS S1P LOW

Upper Synthetic, Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



WHT

PACCO S1PS LOW

Upper Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK

PACCO S2PS LOW TLS

Upper Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S2 PS ESD, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



GRY

AAK S1P LOW

Upper Synthetic, Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture textile
 Lining Mesh
 Footbed SJ Memory foam
 Category S1 PS ESD, FO, HRO, SR
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK

ALTO TLS

Upper Synthetic, Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Plastic
 Midsole N/A
 Lining Mesh
 Footbed SJ Memory foam
 Category ESD, FO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



BLK

TANA P1

Upper Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Plastic
 Midsole N/A
 Lining Mesh
 Footbed SJ Memory foam
 Category P1 ESD, FO, HRO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0

Play movie



COLORS



CADOR

THAT



WORK





CADOR S1P MID

Upper	Mesh
Outsole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	3D-Mesh
Footbed	SJ Foam
Category	S1 P ESD, FO, SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S1P

Upper	Mesh
Outsole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	3D-Mesh
Footbed	SJ Foam
Category	S1 P ESD, FO, SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S1P SANDAL

Upper	Mesh
Outsole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	3D-Mesh
Footbed	SJ Foam
Category	S1 P ESD, FO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



FLOW S1P LOW

Upper	Mesh
Outsole	PU/PU
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ Foam
Category	S1 P ESD, SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



YUKON S1P

Upper	Textile
Outsole	PU/PU
Toecap	Steel
Midssole	Anti-puncture Textile
Lining	Textile
Footbed	SJ Foam
Category	S1 P ESD, SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



NEW

YUKONSTAR S1P

Upper	Textile, Microfiber
Outsole	PU
Toecap	Steel
Midssole	Steel
Lining	Nonwoven
Footbed	SJ Foam
Category	S1 P FO, SR
Size Range	EU 35-47 • UK3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



SPEEDY S3

Upper	Nubuck Action Leather
Outsole	PU/Rubber (NBR)
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ Foam
Category	S3S HI, CI, FO, HRO, SR
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



TURBO S3

Upper	Nubuck Action Leather
Outsole	PU/Rubber (NBR)
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ Foam
Category	S3S HI, CI, FO, HRO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



RAPTOR S1P

Upper	Mesh, Nubuck Action Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S1 PS FO, HRO, SR
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0





BOTANIC S1P

Upper Suede Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S1 P SRC
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



BESTGIRL S3

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-42 • UK 3.5-8 • US 6-10.5
 KOR 235-270 • JPN 22.5-26.5



NEW

BESTLADY S3 MID

Upper Full Grain Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 ESD, CI, FO, SR, LG
 Size Range EU 35-43 • UK 3.0-9.0 • US 5.5-11.5
 JPN 21.5-27 • KOR 230-280



CERES S3

Upper Nubuck Action Leather
 Outsole Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 SRC, HRO
 Size Range EU 36-42 • UK 3.5-8 • US 6-10.5
 KOR 235-270 • JPN 22.5-26.5



ORGANIC S1P

Upper Suede Leather, Mesh
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S1 P SRC
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



NEW

BESTGIRL S3 LOW

Upper Full Grain Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 ESD, CI, FO, SR, LG
 Size Range EU 35-43 • UK 3.0-9.0 • US 5.5-11.5
 JPN 21.5-27 • KOR 230-280



NEW

BESTKNIT S1P

Upper TPU, Textile
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Textile
 Footbed SJ Foam
 Category S1P ESD, CI, FO, SR, LG
 Size Range EU 35-43 • UK 3.0-9.0 • US 5.5-11.5
 JPN 21.5-27 • KOR 230-280



SAFETY JOGGER WORKS

MODULO
 COMFORT. NO LIMITS.

MEDIUM APPLICATION

COMFORT



NEW

MODULO S3S MID TLS

Upper Microfiber
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S LOW TLS

Upper Microfiber
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S MID

Upper Microfiber
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S LOW

Upper Microfiber
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO ARMOR S3S LOW

Upper Abrasion resistant fabric, Abrasion Resistant Synthetic
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO ARMOR S3S MID

Upper Abrasion resistant fabric, Abrasion Resistant Synthetic
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO LE S3S LOW TG

Upper Full Grain Leather
 Outsole PU/Rubber (NBR)
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3S ESD, HI, CI, FO, HRO, SR, SC, LG
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO LE S3S MID TG

Upper Full Grain Leather, Mesh, Abrasion Resistant Synthetic
 Outsole PU/Rubber (NBR)
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3S ESD, HI, CI, FO, HRO, SR, SC, LG
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



MEDIUM APPLICATION

COMFORT



NEW

MODULO S1PS LOW PERF

Upper Microfiber
 Outsole BASF PU/BASF PU
 Toecap Nano carbon
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S1 PS ESD, FO, SR, SC
 Size Range EU 35-48 • UK 3.0-13.0 • US 3.0-13.5
 KOR 230-315 • JPN 21.5-31.5



MEDIUM APPLICATION

CLASSIC



MAGO S3 MID EXTRA WIDE TOE CAP

Upper Crazy Horse Leather
 Outsole Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC, HRO
 Size Range EU 36-47 • UK 3.5-12 US 4-13
 KOR 235-310 • JPN 22.5-31.0



JACKMAN S3 EXTRA WIDE TOE CAP

Upper Crazy Horse Leather
 Outsole Rubber (NBR)
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 FO, HRO, SR
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5

X1100 S3

Upper Nappa Action Leather
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3S CI, FO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



X1100 S3

Upper Nappa Action Leather
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3S CI, FO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



MEDIUM APPLICATION

CLASSIC



NEW LX1110 AHX



Upper Leather
 Outsole BASF PU/BASF PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3S CI, FO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



NEW LX1100N AHX



Upper Leather
 Outsole BASF PU/BASF PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3S CI, FO, SR
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



NEW CONSTRUBOY EW S3 MID



BLK

Upper Full Grain Leather, Synthetic Leather
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5

NEW CONSTRUBOY EW S3 LOW



BLK

Upper Full Grain Leather, Synthetic Leather
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



MEDIUM APPLICATION

CLASSIC



35-47



BESTRUN S3
BESTBOY S3

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BESTBOY231 S3

Upper Barton Action Leather
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-47 • UK 3.5-12 US 4-13
 KOR 235-310 • JPN 22.5-31.0



NEW BESTBOY METALFREE S3



BLK

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



DBN

BLK

BESTFIT S1P

Upper Nappa Action Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S1P SRC
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



MANAGER S3

Upper Nappa Action Leather
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3S ESD, FO, SR
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



BESTRUN231 S3

Upper Barton Action Leather
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW BESTRUN METALFREE S3



BLK

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, CI, FO, SR, SC, LG
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



BESTZIP S3

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5





Solid 360-Degree
Stitching around Outsole

LABOR S3

EXTRA WIDE TOE CAP

Upper	Barton Action Leather
Outsole	Rubber (NBR)
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 HI, CI, FO, HRO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



Solid 360-Degree
Stitching around Outsole

RENA S3

EXTRA WIDE TOE CAP

Upper	Barton Action Leather
Outsole	Rubber (NBR)
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 HI, CI, FO, HRO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



EOS S3

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S3S ESD, FO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



AURA S3

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S3S ESD, FO, SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 22.5-31.0



SAFETYRUN S1P

SAFETYBOY S1P

Upper	Barton Action Leather
Outsole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Eco
Category	S1 P FO, SR
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 235-310 • JPN 22.5-31.0




SAFETYSTAR S3

Upper	Barton Action Leather
Outsole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Eco
Category	S3 SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 235-310 • JPN 22.5-31.0



Safety with
a twist



CADOR **S3** LOW TLS

MEDIUM APPLICATION

SPORTS



TLS

CADOR S3 MID TLS

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



TLS

CADOR S3 LOW TLS

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



CADOR S3 MID

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



CADOR S3 LOW

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



FLOW S3 MID

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



FLOW S3 LOW

Upper Synthetic Nubuck
 Outsole PU/PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining 3D-Mesh
 Footbed SJ Foam
 Category S3 ESD, SRC
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



XPLORE S3

Upper Suede Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S FO, HRO, SR
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



MEDIUM APPLICATION

HIKING



X2020P31 S3
X200031 S3

Upper Suede Leather
 Outsole BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 23.5-31 • JPN 22.5-31.0



JUMPER31 S3
CLIMBER31 S3

Upper Suede Leather, Textile
 Outsole BASF PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



043 MUL 117

011

DESERT S1P

Upper Cotton
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cotton
 Footbed SJ Foam
 Category S1P SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



018

019

DAKAR S3

Upper Crazy Horse Leather, Textile
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh suede
 Footbed SJ Foam
 Category S3 SRC
 Size Range 019: EU 35-47 • UK 3.0-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0
 018: EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



BLK

BRN

DAKAR EW S3

Upper Crazy Horse Leather, Textile
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BRN

DAKAR EW S3 LEATHER

Upper Crazy Horse Leather
 Outsole BASF PU/BASF PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 CI, FO, SR, SC, LG
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



CAM

Zipper

BRN

RUSH S3

Upper Crazy Horse Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



019

SAHARA S3

Upper Pull-up Leather, Textile
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



MEDIUM APPLICATION

SNEAKERS



BLK



CERRO S3 MID

EXTRA WIDE TOE CAP

Upper	Crazy Horse Leather
Outsole	Rubber (NBR)
Toecap	Aluminium
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S3 SRC, ESD, HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



SND

MEDIUM APPLICATION

FOOD



GUSTO S2

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	N/A
Lining	Mesh
Footbed	SJ Foam
Category	S2 SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



X0500 S2

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	N/A
Lining	Cambrella
Footbed	SJ Foam
Category	S2 SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



NEW

X0600 S3



Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam Footbed
Category	S3 SRC, CI
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



MEDIUM APPLICATION

FOOD



POSEIDON S4

Upper	SJ PVC
Outsole	PVC
Toecap	Steel
Midsole	N/A
Lining	Tricot
Footbed	N/A
Category	S4 FO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



WHT



BLK

BESTLIGHT1

Upper	Expanded EVA
Outsole	EVA/Rubber (NBR)
Toecap	N/A
Midsole	N/A
Lining	N/A
Footbed	SJ Basic 2
Category	OB SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



BLK

SAFETYCLOG SB

Upper	Expanded EVA
Outsole	EVA/Rubber (NBR)
Toecap	Composite
Lining	N/A
Footbed	SJ foam
Category	SB SRC, E
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



ROCKET81 S1P

Upper	Nubuck Action Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S1 P SRC, HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



Extra wide toe cap



HEAVY APPLICATION

HEAVY DUTY



X430 S3

Upper Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Membrane
 Footbed SJ Foam
 Category S3 ESD, SRC, WR, CI, HRO
 Size Range EU 36-50 • UK 3.5-14.0 • US 4.0-15.0
 KOR 235-330 • JPN 22.5-33.0



X330 S3

Upper Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Membrane
 Footbed SJ Foam
 Category S3 ESD, SRC, WR, CI, HRO
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



ULTIMA S3

Upper Crazy Horse Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, HI, CI, FO, HRO, SR, SC
 Size Range EU 37-48 • UK 4-13 • US 4.5-13.5
 KOR 240-315 • JPN 23.0-31.5



NEW HEKLA S3 MID

Upper Full Grain Leather
 Outsole Rubber (NBR)
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 HI, CI, FO, HRO, AN, SR, SC, LG
 Size Range EU 38-48 • UK 5.0-13.0 US 5.5-13.5
 KOR 250-315 • JPN 24.0-31.5



ALTAR S3 HIGH

Upper Crazy Horse Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, HI, CI, FO, HRO, SR, SC, LG
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



ALTAR S3 MID

Upper Crazy Horse Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Foam
 Category S3S ESD, HI, CI, FO, HRO, SR, SC, LG
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



BASALT S7S

Upper Waterproof Pull-up Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Membrane
 Footbed SJ Foam
 Category S7S ESD, HI, CI, FO, HRO, SR, SC, LG
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



HEAVY APPLICATION

SEASONAL



BESTBOOT2 S3

Upper Barton Action Leather
 Outsole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



BOREAS2 S3

Upper Pull-up Leather
 Outsole PU/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Cambrella
 Footbed SJ Foam
 Category S3 SRC, HI, HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



HERCULES S5

Upper SJ PVC
 Outsole PVC
 Toecap Steel
 Midsole Steel
 Lining N/A
 Footbed N/A
 Category S5 FO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



APOLLO S5

Upper SJ PVC
 Outsole PVC
 Toecap Steel
 Midsole Steel
 Lining Tricot
 Footbed N/A
 Category S5 SRA
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



ALASKAC PRO EXTRA WIDE TOE CAP

Upper Pull-up Action Leather
 Outsole Rubber (NBR)
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 FO, HRO, SR
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



Solid 360-Degree Stitching around Outsole

HEAVY APPLICATION

SEASONAL



BESTBOY252 S3

WARM LINING

Upper Barton Action Leather
 Outsole PU/Rubber (NBR)
 Toecap Steel
 Midsole Steel
 Lining Teddy
 Footbed Teddy
 Category S3 CI, FO, HRO, SR
 Size Range U 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



LABOR WINTER EH SB

WARM LINING

Upper Barton Action Leather
 Outsole Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Teddy
 Footbed Teddy
 Category SB P, SRC, E, CI, FO, HRO, WPU
 Size Range EU 35-47 • UK 3.0-12 • US 3-13.0
 KOR 230-310 • JPN 21.5-31.0



LX1100N EH AH WINTER

WARM LINING

Upper Leather
 Outsole BASF PU/BASF PU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Teddy
 Footbed Teddy
 Category SB E, CI, FO, PS, SR, WPA
 Size Range U 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NORDIC S3

WARM LINING

Upper Abrasion Resistant Leather
 Outsole PU/TPU
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Warm lining
 Footbed Warm lining
 Category S3 SRC, CI
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



HEAVY APPLICATION

EH (ELECTRICAL HAZARD) 18KV



DESERT-EH SB

Upper Cotton
 Outsole PU/PU
 Toecap Nano Carbon
 Midsole Nano Carbon
 Lining Cotton
 Footbed SJ Foam
 Category SB P, SRC, E, FO, EH
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



NEW

AAK EH LOW SB

Upper Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category SB E, FO, HRO, PS, SR
 Size Range EU 35-48 • UK 3.0-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



NEW

MILOS EH LOW SB

Upper Textile
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category SB E, FO, HRO, PS, SR
 Size Range EU 35-48 • UK 3.0-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5




NEW

ELGON EH LOW SB

Upper Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Toecap Composite
 Midsole Anti-puncture Textile
 Lining Mesh
 Footbed SJ Memory foam
 Category SB E, HI, CI, FO, HRO, PS, SR, WPA
 Size Range EU 35-48 • UK3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



BLK



**SAFETY
JOGGER**
TIGER GRIP



OVERSHOES

As the European market leader in slip-resistant solutions and protective overshoes, Tiger Grip's mission is to protect people who move around on surfaces that present risks of slipping, impacts or other hazards. Tiger Grip overshoes are engineered for everyone who wants to offer visitors or employees high-quality foot protection in many different professional settings.

Maintain
your
grip?
EASY!



OCCASIONAL SAFETY



VISITOR



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38·UK2-5·US2-5.5·CM22-24 M- EU39-43·UK6-9·US6.5-10·CM25-28 L- EU44-48·UK10-13·US10.5-13.5·CM28.5-33+

VISITORP



Standard	CE standard EN ISO 12378 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 L- EU43-45·UK9-10.5·US10-11.5·CM28-29.5+ XL- EU46-48·UK11-13·US12-13.5·CM30-33+

VISITORC



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38·UK2-5·US2-5.5·CM22-24 M- EU39-43·UK6-9·US6.5-10·CM25-28 L- EU44-48·UK10-13·US10.5-13.5·CM28.5-33+

VISITORMF



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Composite
Material	Rubber + nylon rivets metal free
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38·UK2-5·US2-5.5·CM22-24 M- EU39-43·UK6-9·US6.5-10·CM25-28 L- EU44-48·UK10-13·US10.5-13.5·CM28.5-33+

VISITORI



Standard	CE standard EN ISO 12378 / EN ISO 12568 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Midsole	Steel
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 L- EU43-45·UK9-10.5·US10-11.5·CM28-29.5+ XL- EU46-48·UK11-13·US12-13.5·CM30-33+

ANTISLIP SAFETY



EASYGRIP



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-23 M- EU38-42·UK5-8·US5.5-9·CM24-27 XL- EU46-48·UK11-13+·US12-13.5+·CM30-33+



EASYMAX

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37·UK2-4·US2-4.5·CM22-24 M- EU38-40·UK5-7·US5.5-7.5·CM24-25.5 XL- EU43-45·UK9-10.5·US10-11.5·CM28-29.5 XXL- EU46-48·UK11-13·US12-13.5·CM30-33+



OUTDOOR SAFETY

CITYGRIP



Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38·UK2-5·US2-5.5·CM22-24 M- EU39-43·UK6-9·US6.5-10·CM25-28

**SAFETY
JOGGER**
TACTICAL

TACTICAL

Comfort, durability and protection are key components of any tactical collection. Safety Jogger offers a wide variety of tactical boots that meet and exceed those demanding requirements and enhance performances in the field. This footwear is designed to help you excel in any tactical operation.

SECURITY



DRAGON S3

Upper	Textile, Waterproof Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Nano carbon
Midsole	Nonwoven
Lining	Mesh
Footbed	SJ Foam
Category	S3 ESD, SRC
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0



KOMODO S3

Upper	Textile, Waterproof Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Nano carbon
Midsole	Nonwoven
Lining	Mesh
Footbed	SJ Foam
Category	S3 ESD, SRC
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0

LAW ENFORCEMENT



SHARK S3

Upper	Waterproof Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Nano carbon
Midsole	Nonwoven
Lining	Membrane, Mesh
Footbed	SJ Foam
Category	S3 ESD, SRC, WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0



TROOPER S3

Upper	Waterproof Leather
Outsole	Phylon/Rubber (NBR)
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Membrane
Footbed	SJ Foam
Category	S3 SRC, WR, HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



TACTIC OB

Upper	Nappa Action Leather, Textile
Outsole	Rubber (NBR)
Toecap	-
Midsole	-
Lining	Mesh
Footbed	SJ Foam
Category	OB SRA, CI, FO, HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



DUNE OB

Upper	Suede Leather, Textile
Outsole	Rubber (NBR)
Toecap	-
Midsole	-
Lining	Mesh
Footbed	SJ Foam
Category	OB SRA, FO, HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



HEAD PROTECTION



Play movie



HEARING PROTECTION



ARUSHA 200PCS

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

200prs/Box
2000prs=10Box/Carton



ARUSHA CORDED 100PCS

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

100prs/Box
1000prs=10Box/Carton



NEW ARUSHA REFILL 1000PC

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2020



NEW MADURU CORDED 50PCS

Material	Textile - TPR
Size range	EU UNI
Norms	EN 352-2:2020



NEW ARUSHA DISPENSER

Material	Polyethylene/ABS
Size range	EU UNI

RESPIRATORY MASKS



STORA P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	N/A
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.011 kg
Norms	BS EN 149:2001+A1:2009

200pcs=10box/Carton
10pcs of masks in a polybag
2 polybag / box



STORA V P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	Polyamide
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.014 kg
Norms	BS EN 149:2001+A1:2009

100pcs=10box/Carton
10 masks in apolybag
1 polybag / box

HEARING PROTECTION



ETOSHA I

Shell	Polyethylene
Headband	Polyethylene
Cushions	PVC
Foam	Polyester
Size range	EU UNI
Norms	EN 352-1:2003



ETOSHA II

Shell	ABS
Headband	Steel wire + PVC
Cushions	PVC
Foam	Polyethylene
Size range	EU UNI
Norms	EN 352-1:2003



NEW ETOSHAI DETACHABLE

Shell	ABS
Headband	Metal
Cushions	PVC
Foam	Polyethylene
Size range	EU UNI
Norms	EN 352-1:2020

HEAD PROTECTION



KANHA L CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Textile
Ratchet	Polyethylene
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012



KANHA S CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Polyethylene
Ratchet	N/A
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012

HEAD PROTECTION



NEW AJUSCO CHINSTRAP

Shell	ABS
Headband	Polyethylene
Liner strip	Textile
Ratchet	Polyethylene
Sweat absorber	Polyester/EVA
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012

EYEWEAR

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



YOHO

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate +TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



TSAVO

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



YOHO SUN SPECTACLE

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate + TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



TSAVO SUN

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5
Size range	EU UNI
Norms	EN 166:2001

EYEWEAR

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



NEW PALO

Lenses	Polycarbonate
Frame	Nylon/TPE, Steel, TPR
Temples	Polycarbonate
Safety standard	*Protection against high-speed particles at low energy impact at extremes of temperature (CT) *Optical class 1 *Optical Filter U1,2
Norms	EN ISO 16321-1:2022

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



NEW YALA

Lenses	Polycarbonate
Frame	TPR, Polycarbonate, Steel, Polyamide
Temples	Polycarbonate
Safety standard	*Protection against high speed particles at extremes of temperature - low energy (FT) *Optical Filter 2C-1,2 *Optical class 1
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



VIRUNGA

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2,
Norms	EN 166:2001

60pcs=6box/Carton
Pack individual polybag 10Pcs/Box



SAREK

Headband	Elastic Nylon
Lenses	Polycarbonate
Frame	TPR
Temples	N/A
Safety standard	*F-Impact with a small object travelling at 45 meters per second, B-Impact with a small object travelling at 120 meters per second, *OF2-Optical Filter 2-1,2
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



NEW PALO SUN

Lenses	Polycarbonate
Frame	Nylon/TPE, Steel, TPR
Temples	Polycarbonate
Safety standard	*Protection against high-speed particles at low energy impact at extremes of temperature (CT) *Optical class 1 *Optical Filter GL2
Norms	EN ISO 16321-1:2022

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



NEW YALA SUN

Lenses	Polycarbonate
Frame	TPR, Polycarbonate, Steel, Polyamide
Temples	Polycarbonate
Safety standard	*Protection against high speed particles at extremes of temperature - low energy (FT) *Optical Filter 5-2,5 *Optical class 1
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



VIRUNGA COVER

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2,
Norms	EN 166:2001



GLOVE

GLOVES

PROSHIELD 4X42F ^{ANSI/ISEA-105} **A5**
4 4 1 PACKS



- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE

PROTECTOR 4X44C ^{ANSI/ISEA-105} **A3**
6 5 BULK



- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE

ALLFLEX 4131X ^{ANSI/ISEA-105} **A1**
4 2 1 PACKS BULK



- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11

TOUCHSCREEN GLOVE

DMF FREE

SUPERPRO 4121X ^{ANSI/ISEA-105} **A1**
6 2 BULK



- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 7, 8, 9, 10 and 11

DMF FREE

PROCUT 4X42D ^{ANSI/ISEA-105} **A4**
5 3 1 PACKS



- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE

SHIELD 4X43C ^{ANSI/ISEA-105} **A3**
6 5 1 PACKS BULK



- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE

CONSTRUCTO 3243X ^{ANSI/ISEA-105} **A1**
3 4 1 PACKS BULK



- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11

DMF FREE

MULTITASK 4131X ^{ANSI/ISEA-105} **A1**
4 2 BULK



- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 7, 8, 9, 10 and 11

GLOVES

NEW **PROIMPACTS 4X42CP** 

- Anti Impact and cut resistant glove.
- HPPE liner.
- Nitrile Foam palm coating.
- High visibility color Strong TPR anti impact protection on back.
- Oil resistance and Repellency.
- Size 7, 8, 9, 10, 11



TOUCHSCREEN GLOVE

NEW **ALLFLEXDOT 4131A** 

- Polyester glove
- Nitrile coating
- Extraordinary grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11

ECO GLOVES

ECO PROCUT 4X42D  **BULK**

- High cut resistance
- High abrasion resistance
- Excellent dexterity
- Latex free



ECO PROSHIELD 4X42F  **BULK**

- Extreme cut resistance
- High abrasion resistance
- High dexterity
- Silicone free



ECO PROTECTOR 4X44C  **BULK**

- Water repellent
- All-round protection
- High abrasion resistance
- High cut resistance
- Oil resistant
- Latex free



ECO ALLFLEXDOT 4X31A  **BULK**

- High abrasion resistance
- Extraordinary grip
- Touchscreen compatible



TOUCHSCREEN GLOVE

ECO PRODRY 2131X  **BULK**

- Water repellent
- Double layer coating
- High dexterity
- Extraordinary grip



ACCESSORIES



SJ BAMBOO SOCK

2 PAIRS PER PACK
2 KINDS OF CARTON PACKAGE

SOLID SIZE 60PAIRS PER CARTON
MIXED SIZE 60PAIRS PER CARTON
3 SIZES IN 1

Material 77% bamboo fiber - 3% polyamide fiber
3% spandex - 17% polyester

Sizes EU 38/40 - 41/43 - 44/46 - 47/48
UK 5/7 - 7.5/9 - 10/11 - 12/13
US 5.5/7.5 - 8/10 - 10.5/12 - 13/13.5
CM 24/25.5 - 26/27 - 28/30 - 31/31.5



SJSOCK2

3 PAIRS PER PACK
150 PAIRS PER CARTON
4 SIZES IN 1

Material 75% cotton - 23% polyester - 2% elastic

Sizes EU 39/42 - 43/47
UK 6/8 - 9/12
US 6.5/9 - 10/13
CM 25.5/27 - 28/31



SJCOMFORT **48 PAIRS PER SIZE/CARTON**

Specifications Extra comfortable heel support
Ultra high ergonomic comfort
Air breathability technology
Arch support
Coolmax®

Sizes EU 36/38 - 39/41 - 42/44 - 45/47
UK 3.5/5 - 6/7 - 8/10 - 10.5/12
US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13
CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



SJJACKETT

Material Nylon

Sizes XL

GLOVES | 120 pairs in export carton per size, per model.

SJSOCK2 | single package per 3 pairs - 150 pairs per carton.

SJCOMFORT | 48 pairs per carton.



LIGHT APPLICATION

Light application footwear is mainly used on even and dry floors with a limited risk of contact with liquids.



MEDIUM APPLICATION

Medium application footwear is engineered for dry and wet floors in an indoor environment.



HEAVY APPLICATION

For our professional collection, heavy application means that this type of footwear has special features and can be worn in special areas. More specifically, these shoes and clogs meet special cleaning needs, such as being machine washable or autoclavable.

THE NEW STANDARD FOR OCCUPATIONAL FOOTWEAR EXPLAINED - EN ISO 20347:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20347. Until April 2022, the 2012 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20347:2012 remain valid until their expiration date (which is 5 years from the date of issue).

	CLASS 1 made from leather, textiles or synthetic materials								CLASS 2 made from rubber or polymeric materials			
	OB	O1	O2	O3	O3L	O6	O7	O7L	OB	O4	O5	O5L
Basic slip resistance (ceramic floor + soap solution)												
Closed heel												
A Antistatic												
E Heel energy absorption												
UPDATE WPA Water penetration and absorption												
WR Waterproof												
UPDATE P Metallic puncture resistant midsole (4.5mm nail)												
NEW PL / L Non-metallic puncture resistant midsole <i>PL/L = large nail 4.5mm</i> <i>PS/S = slim nail 3mm</i>												
Cleated outsole (cleat height ≥ 2,5mm)												

Additional features

- AN** Ankle protection
- M** Metatarsal protection
- NEW** **SR** Slip resistance (ceramic floor + oily solution)
- A** Antistatic
- NEW** **LG** Ladder grip
- NEW** **SC** Abrasion resistant scuff cap
- CI** Cold insulation
- HI** Heat insulation
- HRO** Heat-resistant outsole (up to 300°C)
- UPDATE** **P** Metallic puncture resistant midsole (4.5mm nail)
- NEW** **PL** Non-metallic puncture resistant midsole (4.5mm nail)
- NEW** **PS** Non-metallic puncture resistant midsole (3mm nail)
- UPDATE** **WPA** Water penetration and absorption
- WR** Waterproof
- E** Heel energy absorption
- UPDATE** **FO** Oil & fuel resistance
- Electrostatic discharge (EN 61340)
- Electrical hazard (ASTM F2413)

Play movie



just feels like
DANCING

LIGHT APPLICATION

MOVE & LITEWALK



NEW

JUMADI|OB

Upper	Mesh
Outsole	EVA/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	OB E, SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

ATUM|OB

Upper	Knitted Textile
Outsole	TPR/EVA
Lining	Textile
Footbed	SJ foam
Category	OB E, SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



BESTNURSE

Upper	Mesh, Synthetic
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	-
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



LAUREN

Upper	Mesh, Synthetic
Outsole	EVA
Lining	Mesh
Footbed	Oxy Basic
Category	-
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



EDEN|01 LOW

Upper	Mesh, Synthetic Leather
Outsole	Phylon/Rubber (NBR)
Lining	3D-Mesh
Footbed	SJ foam
Category	01 ESD, SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



ELIS|02 LOW

Upper	Synthetic Leather
Outsole	Phylon/Rubber (NBR)
Lining	3D-Mesh
Footbed	SJ foam
Category	02 ESD, SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



LISBETH|02

Upper	Nappa Leather
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	02 ESD, SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



NILDA|01

Upper	Synthetic Leather
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	01 ESD, SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5





LIGHT APPLICATION

SPORTS



FUC

SLOAN 01 LOW

Upper	Mesh, Synthetic
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	O1 ESD, SRC, FO
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



BLK

KASSIE 01

Upper	3D-Mesh
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	O1 SRC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



NAV

MAUD 0B

Upper	Mesh
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	OB SRA, E
Size Range	EU 36-42 • UK 3.5-8 • US 4-9 KOR 235-270 • JPN 22.5-26.5



BLK

JAMES 0B

Upper	Mesh
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	OB SRA, E
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



LIGHT APPLICATION

UNIFORM



BLK



SUN 0B SLP

Upper	Synthetic Leather
Outsole	PU
Lining	N/A
Footbed	SJ foam
Category	OB SRC
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



BLK

JULIA2 0B

Upper	Synthetic Leather
Outsole	PU/Rubber (NBR)
Lining	Synthetic Leather, Mesh
Footbed	SJ foam
Category	OB SRC, E, FO
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



MEDIUM APPLICATION

UNIFORM



DUBLIN 02

Upper	Nappa Leather
Outsole	PU/Rubber (NBR)
Lining	Textile
Footbed	SJ foam
Category	O2 SRC
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



BERLIN 02

Upper	Nappa Leather
Outsole	PU/Rubber (NBR)
Lining	Textile
Footbed	SJ foam
Category	O2 SRC
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



MEDIUM APPLICATION

MOVE & LITEWALK

COOLMAX



BLK

EVAN 01

Upper	Action Leather
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	Oxy Basic
Category	O1 ESD, HRO, SR
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 KOR 255-300 • JPN 25.0-30.0



WHT

EVA 01

Upper	Action Leather
Outsole	EVA/Rubber (NBR)
Lining	Mesh
Footbed	Oxy Basic
Category	O1 ESD
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



MEDIUM APPLICATION | MOVE & LITEWALK



BLK

CHAMP O2 LOW

Upper	Synthetic Leather
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	O2 ESD, SRC, FO
Size Range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK

DOMINIQUE 01

Upper	Action Leather, Mesh
Outsole	PU/Rubber (NBR)
Lining	3D-Mesh
Footbed	SJ foam
Category	O1 ESD, SRC
Size Range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK

ELIANE 01

Upper	Synthetic Leather
Outsole	Phylon/Rubber (NBR)
Lining	Mesh
Footbed	SJ foam
Category	O1 ESD, SRC
Size Range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



HEAVY APPLICATION | CLOGS



WHT



NAV BLK

SMOOTH 0B

Upper	Expanded EVA
Outsole	Rubber (NBR)
Lining	N/A
Footbed	N/A
Category	OB ESD, A, SRC, E
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 KOR 235-300 • JPN 22.5-30.0



BLK



WHT EGN



EBL NAV

SONIC 0B

Upper	Expanded EVA
Outsole	Expanded EVA
Lining	N/A
Footbed	N/A
Category	OB ESD, A, E, SR
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 230/235-295/300 JPN 21.5/22.5-29.0/30.0



EBL



EGN WHT BLK

OXYCLOG 0B

Upper	TPE
Outsole	TPE
Lining	N/A
Footbed	SJ foam
Category	OB ESD, A, SRA, E
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 230/235-295/300 JPN 21.5/22.5-29.0/30.0





NAV



BLK WHT

OXYVA 01

Upper	Expanded EVA
Outsole	Expanded EVA
Lining	N/A
Footbed	Comfort Footbed
Category	OB ESD, A, E, SR
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 230/235-295/300 JPN 21.5/22.5-29.0/30.0



WHT



BLK

OXYSAFE PB

Upper	Expanded EVA
Outsole	Expanded EVA
Toecap	Composite
Lining	N/A
Footbed	SJ foam
Category	PB ESD, A, E, SR
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 230/235-295/300 JPN 21.5/22.5-29.0/30.0



WHT

BESTCLOG 0B

Upper	Expanded EVA
Outsole	EVA/Rubber (NBR)
Lining	N/A
Footbed	SJ foam
Category	OB SRC
Size Range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK

BESTCLOG 0B

Upper	Expanded EVA
Outsole	EVA/Rubber (NBR)
Lining	N/A
Footbed	SJ foam
Category	OB SRC
Size Range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK

BESTLIGHT1 0B

Upper	Expanded EVA
Outsole	EVA/Rubber (NBR)
Lining	N/A
Footbed	SJ Basic 2
Category	OB SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



OXYFOAM

PER 24 PAIRS

Specifications	Maximum cushioning Reduces muscle, foot, knee and back pain ESD standard ensures the dissipation of electrostatic charges 3 sizes in 1: adjustable to every foot Coolmax®
----------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Size Range	3 sizes in 1, adjustable to every foot: 36/37/38 and 39/40/41
------------	------------------------------------------------------------------



ADVENTURE

Safety Jogger Adventure offers outdoor footwear designed to explore every adventure. Our hiking shoes combine unbeatable comfort, trendy designs and superior grip and traction, empowering you to conquer any terrain with confidence. Each pair comes with a reusable nylon bag, perfect for storing your dirty shoes and/or transporting them after use.

GRY 40-47 NAV 37-47



LKH 36-47 OLP 36-41



BLK 36-47



LOGAN

Upper 3D-Mesh, Elastic
 Outsole Phylon/Rubber (NBR)
 Lining Textile
 Footbed SJ foam
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



DALLAS

Upper Mesh, Microfibre
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, Mesh
 Footbed SJ foam
 Size Range EU 39-46 • UK 6.0-11.0 • US 6.5-12.0
 KOR 255-300 • JPN 25.0-30.0



STEADY

Upper Waterproof Leather
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, Mesh
 Footbed SJ foam
 Size Range EU 39-47 • UK 6.0-12.0 • US 6.5-13.0
 KOR 255-310 • JPN 25.0-31.0



TAMBO MID

Upper Waterproof Leather
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, 3D-Mesh
 Footbed SJ foam
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



CAM BLK 36-42 NAV



STREET

Upper Waterproof Leather
 Outsole Phylon/Rubber (NBR)
 Lining 3D-Mesh, Membrane
 Footbed SJ foam
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



COLORADO

Upper 3D-Mesh, Synthetic Leather
 Outsole Phylon/Rubber (NBR)
 Lining Textile
 Footbed SJ foam
 Size Range EU 39-47 • UK 6.0-12.0 • US 6.5-13.0
 KOR 255-310 • JPN 25.0-31.0



BOGOTA

Upper Knitted Recycled Textile, Leather
 Outsole Recycled Phylon/Rubber (NBR)
 Lining Recycled Mesh
 Footbed SJ foam
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



TAMBO

Upper Waterproof Leather
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, 3D-Mesh
 Footbed SJ foam
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0





NEW

MANU

Upper Knitted Textile, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, 3D-Mesh
 Footbed SJ foam
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

NAPO

Upper Mesh, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Textile
 Footbed SJ foam
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

CARACAS

Upper Mesh, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, Mesh
 Footbed SJ foam
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



BLK 40-47



NEW

SANTIAGO

Upper Textile, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Mesh
 Footbed SJ foam
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



NAV 40-47



TAMAN MID

Upper Mesh, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, Mesh
 Footbed SJ foam
 Size Range EU 39-46 • UK 6.0-11.0 • US 6.5-12.0
 KOR 255-300 • JPN 25.0-30.0



BLK 36-42
 NAV 36-42

KHA

TAMAN

Upper Mesh, TPU
 Outsole Phylon/Rubber (NBR)
 Lining Membrane, Mesh
 Footbed SJ foam
 Size Range EU 36-46 • UK 3.5-11.0 • US 4.0-12.0
 KOR 235-300 • JPN 22.5-30.0



SCOUT

Out of stock KHA EU 41/42/43

Upper Waterproof Leather
 Outsole Phylon/Rubber (NBR)
 Lining 3D-Mesh, Membrane
 Footbed SJ foam
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



CONTACT

EUROPE

Meersbloem Melden 42
9700 Oudenaarde
Belgium

Phone: (32) 55 33 44 44
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: 1-877-669-9727
info@fitronamericas.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)
广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部 (邮编523216)

Phone: (86) 769 3901 8500
safetyjogger@cortinachina.com



ICONS

 ANSI/ISEA standard	 Grip	 Slip-resistant outsole	 DMF free PU
 Antibacterial	 Heat insulated	 Soft impact foam footbed	 Latex free glove
 Anticut	 Heat-resistant outsole	 Stretch	 Leather
 Antistatic shoe	 Heel energy absorption	 Super breathable	 Vegan
 Autoclavable 135°C	 Instant dry	 Tiger Grip technology	 Vegan Lorica
 Breathable upper	 Ladder grip	 Twist lock system	 Individual orthopedic solutions
 CE standard	 Lightweight	 Touchscreen glove	 Hazard Analysis Critical Control Point
 Chemical and UV sterilizable	 Memory foam	 Warm lining	
 Cleated outsole	 Metalfree	 Washable 30°C	
 Cold insulated	 Non-marking outsole	 Washable 90°C	
 Easy lace up	 Oil- and fuel-resistant outsole	 Water penetration and absorption	
 Electrical hazard protection	 Oxygrip	 Waterproof	
 Closed heel	 Puncture-resistant midsole	 Water-resistant uppers	
 Extra wide	 Removable footbed	 Electrostatic Discharge	
 Glove gauge	 Safety toe cap	 Recycled	